



Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 511R Requisition

Implementation Convention



U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of
Standards and Technology

QC
100
.U57
NO.881-70
1998

The National Institute of Standards and Technology was established in 1988 by Congress to “assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries.”

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

Office of the Director

- National Quality Program
- International and Academic Affairs

Technology Services

- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

Advanced Technology Program

- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- Electronics and Photonics Technology

Manufacturing Extension Partnership Program

- Regional Programs
- National Programs
- Program Development

Electronics and Electrical Engineering Laboratory

- Microelectronics
- Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹
- Optoelectronics¹

Chemical Science and Technology Laboratory

- Biotechnology
- Physical and Chemical Properties²
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

Physics Laboratory

- Electron and Optical Physics
- Atomic Physics
- Optical Technology
- Ionizing Radiation
- Time and Frequency¹
- Quantum Physics¹

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- NIST Center for Neutron Research

Manufacturing Engineering Laboratory

- Precision Engineering
- Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

Building and Fire Research Laboratory

- Structures
- Building Materials
- Building Environment
- Fire Safety Engineering
- Fire Science

Information Technology Laboratory

- Mathematical and Computational Sciences²
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

¹ At Boulder, CO 80303.

² Some elements at Boulder, CO.

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 511R Requisition

Implementation Convention

Electronic Commerce Acquisition Program Management Office
Standard Management Committee - Secretariat
National Institute of Standards and Technology
Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

August 1998



U.S. DEPARTMENT OF COMMERCE

William M. Daley, Secretary

Technology Administration

Gary R. Bachula, Acting Under Secretary for Technology

National Institute of Standards and Technology

Raymond G. Kammer, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-70
Natl. Inst. Stand. Technol. Spec. Publ. 881-70, 50 pages (Aug. 1998)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON: 1998

511 Requisition

Functional Group ID=**RN**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Requisition Transaction Set (511) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to requisition needed material and equipment from a supply distribution system for immediate consumption or stockage against projected requirements. The originator can also use this transaction set to inquire about the status of, amend, or terminate the original requisition. This transaction set may be used to convey a description and quantity of the required material, delivery and billing information, and other logistics information necessary to evaluate and meet the material needs of the originator. This transaction set is not used to establish a contractual relationship between trading partners, and may precede the use of a purchase order.

Notes:

- 1. Organizations use this transaction set to order items of supply, to refer transactions to another supply source for processing, and to transmit misrouted transactions between supply sources.*
- 2. Requisitions for material to be provided as Government Furnished Material (GFM) to commercial contractors, requisitions for excess government owned plant property, and requisitions from foreign governments for material to be provided in support of Security Assistance (SA) contain distinguishing requirements which do not apply to non-GFM or non-SA requisitions.*
- 3. Use a single occurrence of this transaction set to transmit single or multiple requisitions to one or more supply sources.*
- 4. A single transaction set may contain a combination of requisitions for standard and nonstandard material.*
- 5. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Accounting Classification Appendix which can be found on the National Institute of Standards and Technology (NIST) World Wide Web site.*

Heading:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BR	Beginning Segment for Material Management	M	1		
Not Used	030	G62	Date/Time	O	10		
Not Used	040	NTE	Note/Special Instruction	O	10		
LOOP ID - LM						50	
Not Used	050	LM	Code Source Information	O	1		n1
Not Used	060	LQ	Industry Code	M	100		
LOOP ID - N1						20	
Must Use	070	N1	Name	M	1		n2
Not Used	080	N2	Additional Name Information	O	2		
Not Used	090	N3	Address Information	O	2		
Not Used	100	N4	Geographic Location	O	1		
	110	G61	Contact	O	5		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - LX			>1	
Must Use	010	LX	Assigned Number	O	1		
Must Use	020	N9	Reference Identification	M	>1		
Must Use	030	PO1	Baseline Item Data	O	>1		
	040	AT	Financial Accounting	O	>1		
Not Used	050	PWK	Paperwork	O	1		
	060	DD	Demand Detail	O	100		
	070	GF	Furnished Goods and Services	O	1		
	080	G62	Date/Time	O	20		
Not Used	090	MAN	Marks and Numbers	O	5		
	100	LIN	Item Identification	O	>1		
	105	MEA	Measurements	O	>1		
	110	G69	Line Item Detail - Description	O	>1		
	120	NTE	Note/Special Instruction	O	>1		
			LOOP ID - LM			50	
Must Use	130	LM	Code Source Information	O	1		
Must Use	140	LQ	Industry Code	M	100		
			LOOP ID - QTY			>1	
Not Used	150	QTY	Quantity	O	1		n3
			LOOP ID - LM			50	
Not Used	160	LM	Code Source Information	O	1		
Not Used	170	LQ	Industry Code	M	100		
			LOOP ID - N1			100	
Must Use	180	N1	Name	O	1		n4
	190	N2	Additional Name Information	O	2		
	200	N3	Address Information	O	2		
	210	N4	Geographic Location	O	1		
Not Used	215	G61	Contact	O	5		
			LOOP ID - REF			>1	
	220	REF	Reference Identification	O	1		n5
Not Used	230	G62	Date/Time	O	10		
	240	N9	Reference Identification	O	>1		
	250	N1	Name	O	1		
Not Used	260	R4	Port	O	1		
			LOOP ID - LM			50	
Not Used	270	LM	Code Source Information	O	1		
Not Used	280	LQ	Industry Code	M	100		
Must Use	290	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. The LM loop identifies logistic data common to the entire transaction set.
2. The N1 loop identifies name and or address information common to the entire transaction set.
3. Each iteration of the QTY loop qualifies a portion of the total quantity ordered with particular logistics information codes.

511R - Requisition

4. The N1 loop identifies the name and address information unique to each use of the LX loop.
5. The REF loop conveys serial and lot number inventory data.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 511 X12.225 Requisition Transaction set for ordering equipment and material from a supply distribution system; this can also be used to inquire about, amend, or terminate the original order	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>	M AN 4/9

Segment:	BR Beginning Segment for Material Management
Position:	020
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the beginning of a material management transaction and transmit identifying numbers and dates
Syntax Notes:	1 If BR05 is present, then BR04 is required. 2 If either BR07 or BR08 is present, then the other is required. 3 If either BR10 or BR11 is present, then the other is required.
Semantic Notes:	1 BR03 is the date of the transaction set preparation. 2 BR09 is the time of the transaction set preparation
Comments:	

Data Element Summary				
	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	BR01	353	Transaction Set Purpose Code	M ID 2/2
			Code identifying purpose of transaction set	
			00 Original	
			77 Simulation Exercise	
			<i>Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.</i>	
Must Use	BR02	640	Transaction Type Code	M ID 2/2
			Code specifying the type of transaction	
			A0 Requisition	
			A request for equipment or material	
			<i>Use to indicate the transaction set contains one or more requisitions.</i>	
			BM Requisition Passing Order	
			An order passing an erroneously routed requisition to the appropriate source of supply	
			<i>Use to indicate the transaction set contains one or more passing orders.</i>	
			BN Requisition Referral Order	
			An order forwarding a requisition to another source of supply when the original source cannot provide the requested material	
			<i>Use to indicate the transaction set contains one or more referral orders.</i>	
Must Use	BR03	373	Date	M DT 6/6
			Date (YYMMDD)	
			<i>This date corresponds to the Universal Time Coordinate (UTC).</i>	
Not Used	BR04	67	Identification Code	X AN 2/20
			Code identifying a party or other code	
Not Used	BR05	66	Identification Code Qualifier	O ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	

511R - Requisition

Not Used	BR06	306	Action Code Code indicating type of action	O	ID 1/2
Not Used	BR07	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	BR08	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN 1/30
Must Use	BR09	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>1. Express the originating activity's time in UTC.</i>	O	TM 4/8
Not Used	BR10	128	<i>2. Express time in a four-position (HHMM) format.</i> Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	BR11	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN 1/30

Segment: **N1** Name
Position: 070
Loop: N1 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2 N105 and N106 further define the type of entity in N101.
Notes: *Must use this 1/N1/070 loop to identify the organization originating the transaction set.*

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual <i>Use only one of codes OB or ZL.</i>	M ID 2/2
			OB Ordered By <i>Use in requisitions to identify the requisitioner.</i>	
			ZL Party Passing the Transaction The party forwarding a transaction <i>Use in passing orders and referral orders to identify the organization forwarding the transaction for further processing.</i>	
Not Used	N102	93	Name Free-form name	X AN 1/35
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X ID 1/2
		1	D-U-N-S Number, Dun & Bradstreet	
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
		10	Department of Defense Activity Address Code (DODAAC)	
		A2	Military Assistance Program Address Code (MAPAC) Contained in the Military Assistance Program Address Directory (MAPAD); represents the location of an entity <i>Use to indicate the Security Assistance (SA) structured address data. Interpretation of this data may require additional codes cited elsewhere in the transaction.</i>	
		M4	Department of Defense Routing Identifier Code (RIC) An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions	
Must Use	N104	67	Identification Code Code identifying a party or other code	X AN 2/20
Not Used	N105	706	Entity Relationship Code Code describing entity relationship	O ID 2/2
Must Use	N106	98	Entity Identifier Code	O ID 2/2

Code identifying an organizational entity, a physical location, or an individual

FR

Message From

Must use with the appropriate 1/N101/070 code to indicate the organization cited in N104 is originating the transaction set.

Segment: **G61** Contact
Position: 110
Loop: N1 Mandatory
Level: Heading
Usage: Optional
Max Use: 5
Purpose: To identify a person or office to whom communications should be directed
Syntax Notes: 1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:
Comments: 1 G6103 qualifies G6104.
Notes: 1. Use under exceptional circumstances when requiring direct communication with the party originating the transaction set.

2. Use multiple repetitions to identify multiple points of contact or communication numbers. When using multiple repetitions to identify different communication numbers for a single point of contact, repeat the name cited in G6102.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	G6101	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named AA Authorized Representative <i>Use to identify the individual who authorized the requisition.</i> IC Information Contact <i>Use to identify the point of contact.</i>	M ID 2/2
Must Use	G6102	93	Name Free-form name <i>Provide the last name, first name, middle initial and rate/rank/title, as required, of the individual named as point of contact. Include blank spaces between name components and periods after initials. Do not include NMN or NMI when a middle initial is not available.</i>	M AN 1/35
Must Use	G6103	365	Communication Number Qualifier Code identifying the type of communication number <i>1. Use to identify the preferred method of communication in the first repetition. Use additional repetitions when identifying alternate communication methods.</i> <i>2. Do not include blank spaces, dashes or parentheses between numbers.</i> AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) <i>Use to identify the DSN telephone number.</i> EM Electronic Mail EX Telephone Extension <i>Use immediately following codes AU, IT or TE to identify a telephone extension.</i> FX Facsimile <i>Use to identify the facsimile (FAX) telephone number.</i> IT International Telephone <i>Include country and city code.</i> TE Telephone	X ID 2/2

511R - Requisition

			<i>Use to identify the commercial telephone number. Include the area code and number.</i>	
			TL	Telex
			TX	TWX
Must Use	G6104	364	Communication Number	X AN 1/80
			Complete communications number including country or area code when applicable	
	G6105	443	Contact Inquiry Reference	O AN 1/20
			Additional reference number or description to clarify a contact number	
			<i>Use to indicate the office symbol or activity code for the party identified.</i>	

Segment: **LX** Assigned Number
Position: 010
Loop: LX Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To reference a line number in a transaction set
Syntax Notes:
Semantic Notes:
Comments:
Notes: *Use as a counter to identify the number of 2/LX/010 loop iterations in the transaction set.*

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	LX01	554 Assigned Number	M N0 1/6
		Number assigned for differentiation within a transaction set	
		<i>In the first 2/LX/010 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.</i>	

Segment:	N9	Reference Identification
Position:	020	
Loop:	LX	Optional (Must Use)
Level:	Detail	
Usage:	Mandatory	
Max Use:	>1	
Purpose:	To transmit identifying information as specified by the Reference Identification Qualifier	
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N902 or N903 is required. 2 If N906 is present, then N905 is required. 3 If either C04003 or C04004 is present, then the other is required. 4 If either C04005 or C04006 is present, then the other is required. 	
Semantic Notes:	<ol style="list-style-type: none"> 1 N906 reflects the time zone which the time reflects. 2 N907 contains data relating to the value cited in N902. 	
Comments:		
Notes:	<ol style="list-style-type: none"> 1. <i>Use to identify the transaction number. The transaction number defines each requisition included in the transaction set. The composition of each transaction number within the 511 transaction set is as follows: (1) the DoDAAC (or Security Assistance (SA) identification data), (2) a four position date consisting of the last digit of the calendar year and the ordinal day of the calendar year, and (3) the requisition serial number.</i> 2. <i>For Military Assistance Program/Grant Aid (MAP/GA) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, zero in the fifth position, and Type of Assistance and Financing Code in the sixth position.</i> 3. <i>For Foreign Military Sales (FMS) transactions, the SA identification data is a six position number consisting of Service Assignment Code in the first position, Country or International Organization Code in the second and third positions, Customer-Within-Country Code in the fourth position, Delivery Terms Code in the fifth position, and Type of Assistance and Financing Code in the sixth position. For Canada only, identify the customer-within-country with a two position code in the fourth and fifth positions.</i> 4. <i>Use additional repetitions to identify ancillary information related to the requisition.</i> 	

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	N901	Reference Identification Qualifier	M ID 2/3
	128	Code qualifying the Reference Identification	
		3H	Case Number
			<i>Use to identify the case number of unique excess plant property. This number, in conjunction with the Schedule Reference Number and Line Item Control Number in N907, establishes a digital reference number to completely identify the excess plant property. Use only when requisitioning excess plant property from the Defense Contract Management Command (DCMC).</i>
		TN	Transaction Reference Number
			<i>Must use to identify the transaction number of the requisition.</i>
		W6	Federal Supply Schedule Number
			Identifies an item with a two-digit group number, two-digit part number, and one-character section letter

			WO	Work Order Number
				Number assigned for work including material and labor beyond normal work required to fulfill a service order <i>Use to identify a maintenance work order number.</i>
Must Use	N902	127	Reference Identification	X AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier
Not Used	N903	369	Free-form Description	X AN 1/45 Free-form descriptive text
Not Used	N904	373	Date	O DT 6/6 Date (YYMMDD)
Not Used	N905	337	Time	X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	N906	623	Time Code	O ID 2/2 Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow
	N907	C040	Reference Identifier	O To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier
Must Use	C04001	128	Reference Identification Qualifier	M ID 2/3 Code qualifying the Reference Identification
			43	Supporting Document Number Supports or clarifies information and values represented in a document <i>Use N901 code TN to identify the Special Program Requirement (SPR) transaction number and establish an audit trail between the draw-down requisition and the original SPR against which the requirement was established.</i>
			72	Schedule Reference Number Identifies a number for a program schedule (for example, a logic type of network) or working schedule to complete a specific task or set of tasks <i>Use with N901 code 3H to identify the excess plant property reference number.</i>
			IX	Item Number <i>Use with N901 code W6 to indicate the Federal Supply Schedule Special Item Number.</i>
			SS	Split Shipment Number
			W1	Defense Turn-In Document Number Identifies material submitted for reutilization and marketing <i>Use with N901 code TN to identify the transaction number under which material was shipped to a Defense Reutilization and Marketing Office (DRMO). Use only when requisitioning material from the Defense Reutilization and Marketing Service (DRMS).</i>
			W8	Suffix Differentiates between partial actions taken on the original transaction <i>Use with N901 code TN to identify the transaction</i>

number suffix. Use is limited to a requisition referred to another supply source for a quantity less than the original requisitioned quantity.

Must Use	C04002	127	Reference Identification	M	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	C04003	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
			FJ		Line Item Control Number
					A unique number assigned to each charge line used for tracking purposes
					<i>Use with N901 code 3H to identify the excess plant property reference number.</i>
			SS		Split Shipment Number
					<i>Use with N907-1 code W1 to identify the Disposal Turn-In Document (DTID) transaction number suffix.</i>
	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Segment:	PO1 Baseline Item Data
Position:	030
Loop:	LX Optional (Must Use)
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	>1
Purpose:	To specify basic and most frequently used line item data
Syntax Notes:	<div><div>1 If PO103 is present, then PO102 is required.</div><div>2 If PO105 is present, then PO104 is required.</div><div>3 If either PO106 or PO107 is present, then the other is required.</div><div>4 If either PO108 or PO109 is present, then the other is required.</div><div>5 If either PO110 or PO111 is present, then the other is required.</div><div>6 If either PO112 or PO113 is present, then the other is required.</div><div>7 If either PO114 or PO115 is present, then the other is required.</div><div>8 If either PO116 or PO117 is present, then the other is required.</div><div>9 If either PO118 or PO119 is present, then the other is required.</div><div>10 If either PO120 or PO121 is present, then the other is required.</div><div>11 If either PO122 or PO123 is present, then the other is required.</div><div>12 If either PO124 or PO125 is present, then the other is required.</div></div>
Semantic Notes:	
Comments:	<div><div>1 See the Data Element Dictionary for a complete list of IDs.</div><div>2 PO101 is the line item identification.</div><div>3 PO106 through PO125 provide for ten different product/service IDs per each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.</div></div>
Notes:	<i>Must use this 2/PO1/030 segment to identify the material and other information required to process the requisition.</i>

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Not Used	PO101	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/20
Must Use	PO102	330	Quantity Ordered Quantity ordered <i>1. Must use to identify the requisitioned quantity.</i> <i>2. Express as a whole number with no decimal.</i>	X R 1/9
Must Use	PO103	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken <i>Use to identify the unit of issue for the material requisitioned. DLMS users see the DLMS Unit of Issue and Purchase Unit Conversion Table for available codes.</i>	O ID 2/2
	PO104	212	Unit Price Price per unit of product, service, commodity, etc. <i>Use for nonstandard and nonreimbursable material. For nonstandard material, express the estimated dollar amount in whole dollars. Do not include decimals or cents. For nonreimbursable material, indicate 0 dollars.</i>	X R 1/17
	PO105	639	Basis of Unit Price Code Code identifying the type of unit price for an item <i>Use for nonstandard and nonreimbursable material. For nonstandard material, use to identify an estimated unit price.</i> ES Estimated <i>Use to indicate an estimated unit price for the nonstandard material.</i> NC No Charge	O ID 2/2

Use to indicate nonreimbursable material.

Must Use	PO106	235	Product/Service ID Qualifier X ID 2/2 Code identifying the type/source of the descriptive number used in Product/Service ID (234) <i>Use only one of codes A1, A2, A4, FB, FS, FT, MG, or YP to identify the material requisitioned. Must use the National Stock Number (NSN) when known, except, when appropriate, for brand name subsistence items identified by a Subsistence Identification Number.</i> A1 Plant Equipment Number Item identifier is a plant equipment number <i>Use to identify plant equipment.</i> A2 Department of Defense Identification Code (DoDIC) Qualifies a code that uniquely identifies a type of explosive or ammunition <i>Use to identify ammunition items.</i> A4 Subsistence Identification Number Item identifier is a brand-name resale subsistence item <i>Use to identify subsistence items.</i> FB Form Number <i>Use to identify the form stock number.</i> FS National Stock Number FT Federal Supply Classification <i>Use to identify the FSC of the nonstandard material when a part number is not available and material can only be ordered by description (e.g., non-NSN lumber products).</i> MG Manufacturer's Part Number <i>Use to identify nonstandard material.</i> YP Publication Number <i>Use to identify the publication stock number.</i>
Must Use	PO107	234	Product/Service ID X AN 1/40 Identifying number for a product or service
	PO108	235	Product/Service ID Qualifier X ID 2/2 Code identifying the type/source of the descriptive number used in Product/Service ID (234) <i>1. Use only one of codes CN or ZB to fully identify the material.</i> <i>2. Use PO110 and PO111 when both one of CN or ZB and JP is needed.</i> CN Commodity Name <i>Use only with PO106 code FT to identify the material name or description.</i> JP Package Type Code Packaging method used for manufacturer product <i>Must use to indicate Outside Continental United States (OCONUS) shipment. When used, the paired data element 234 will cite 1 indicating that packaging must meet OCONUS specifications.</i> ZB Commercial and Government Entity (CAGE) Code A code that identifies a commercial contractor authorized to do business with the U.S. government <i>Use only with PO106 code MG to identify a manufacturer's part number.</i>
	PO109	234	Product/Service ID X AN 1/40

			Identifying number for a product or service		
	PO110	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
	PO111	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO112	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO113	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO114	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO115	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO116	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO117	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO118	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO119	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO120	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO121	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO122	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO123	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	PO124	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
Not Used	PO125	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		

Segment: **AT** Financial Accounting
Position: 040
Loop: LX Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To transmit financial accounting data
Syntax Notes: 1 If AT10 is present, then AT01 is required.
Semantic Notes:
Comments: 1 AT09 identifies unique local activity financial accounting information.
Notes: 1. *Use multiple repetitions to identify the fund purpose code, appropriations, and/or fund code for goods, services, and related adjustments.*
2. *DLMS users see the Accounting Classification Appendix for AT02, AT07 and AT09.*

Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	AT01	1271	Industry Code Code indicating a code from a specific industry code list <i>Use any code except "CR" or "DR".</i>	X AN 1/30
	AT02	1282	Treasury Symbol Number Number identifying a department, fiscal year, treasury account number, and appropriation limit for a standard accounting classification coding structure <i>Use to identify the basic appropriation number.</i>	O AN 7/21
	AT03	1283	Budget Activity Number Number identifying an administrative subdivision of funds against which a transaction is to be charged for a standard accounting classification coding structure <i>Use to identify the fund code.</i>	O AN 1/16
Not Used	AT04	1284	Object Class Number Number identifying the nature of the goods or services acquired and a specific office or organization using resources for a standard accounting classification coding structure	O AN 3/12
Not Used	AT05	1285	Reimbursable Source Number Number identifying the source of an appropriation or fund reimbursement for a standard accounting classification coding structure	O AN 1/3
Not Used	AT06	1286	Transaction Reference Number Number identifying an original request for goods and services to the matching financial transaction for a standard accounting classification coding structure	O AN 4/20
	AT07	1287	Accountable Station Number Number identifying an office responsible for entering a financial transaction into the applicable accounting system for a standard accounting classification coding structure <i>Use AT07 to identify the Authorized Accounting Activity (AAA)/Accounting Disbursing Station Number (ADSN)/Fiscal Station Number (FSN).</i>	O AN 3/8
Not Used	AT08	1288	Paying Station Number Number identifying an office responsible for making a payment or collection and the corresponding voucher number under which the action was taken for a standard accounting classification coding structure	O AN 8/14
	AT09	352	Description A free-form description to clarify the related data elements and their content <i>Cite supplemental accounting classification data.</i>	O AN 1/80
Must Use	AT10	1270	Code List Qualifier Code Code identifying a specific industry code list	O ID 1/3

FP

Fund Purpose

Segment: **DD** Demand Detail

Position: 060

Loop: LX Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: 100

Purpose: To describe the type of demand and the intended use of material

Syntax Notes:

- 1 If DD02 is present, then DD01 is required.
- 2 If any of DD03 DD04 or DD05 is present, then all are required.
- 3 If DD06 is present, then DD05 is required.
- 4 If DD10 is present, then DD09 is required.

Semantic Notes:

- 1 DD08 transmits the stock level indicator. A "Y" indicates that the material is normally carried in stock; an "N" indicates that the material is not normally stocked.

Comments:

Notes:

1. Use to convey the demand code associated with the requisition and, as appropriate, to identify the applicable weapon system for which the item is being requisitioned.
2. As an option, use multiple repetitions to stratify the quantity requisitioned by weapon system and associated demand code. The total quantity identified in all repetitions must equal the quantity in PO102.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	DD01	1271	Industry Code Code indicating a code from a specific industry code list	X AN 1/30
Must Use	DD02	1270	Code List Qualifier Code Code identifying a specific industry code list 74 Demand Code Identifies whether or not a material demand is recurring	O ID 1/3
	DD03	128	Reference Identification Qualifier Code qualifying the Reference Identification W2 Weapon System Number Identifies a weapon system <i>Use to identify the applicable weapon system designator code.</i>	X ID 2/3
	DD04	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
	DD05	1271	Industry Code Code indicating a code from a specific industry code list <i>Use to identify the Service associated with the weapon system for which this demand is reported.</i>	X AN 1/30
	DD06	1270	Code List Qualifier Code Code identifying a specific industry code list 71 Service and Agency Code Military services, defense agencies, and certain civilian agencies of the United States Government <i>Use to identify the Service/Agency code associated with the stratified demand data.</i>	O ID 1/3
	DD07	380	Quantity Numeric value of quantity <i>Use to identify the quantity associated with the weapon system and associated demand code.</i>	O R 1/15

DD08	1073	Yes/No Condition or Response Code Code indicating a Yes or No condition or response N No Y Yes	O ID 1/1
DD09	1271	Industry Code Code indicating a code from a specific industry code list	X AN 1/30
DD10	1270	Code List Qualifier Code Code identifying a specific industry code list 98 Reason for Requisitioning Code Explains why material is needed	O ID 1/3

Segment: **GF** **Furnished Goods and Services**

Position: 070

Loop: LX Optional (Must Use)

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify information related to furnished material, equipment, property, information, and services

Syntax Notes: 1 If either GF01 or GF02 is present, then the other is required.

2 If either GF05 or GF06 is present, then the other is required.

3 If either GF08 or GF09 is present, then the other is required.

Semantic Notes: 1 GF04 is the value of government-furnished property.

Comments:

Notes: 1. Use in all GFM-related transactions.

2. Use either the Manufacturing Directive Number (MDN) or contract number (but not both) to identify the procurement source from which the commercial contractor is authorized to requisition material from DoD inventories.

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
GF01	128	Reference Identification Qualifier	X	ID 2/3
		Code qualifying the Reference Identification		
		W3		Manufacturing Directive Number
				Identifies the Management Control Activity and contract associated with government furnished material transactions
GF02	127	Reference Identification	X	AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
GF03	367	Contract Number	O	AN 1/30
		Contract number		
Not Used	GF04	782	Monetary Amount	O R 1/15
		Monetary amount		
Not Used	GF05	128	Reference Identification Qualifier	X ID 2/3
		Code qualifying the Reference Identification		
Not Used	GF06	127	Reference Identification	X AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	GF07	328	Release Number	O AN 1/30
		Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction		
		<i>Use to identify the call or order number, or the call or order number including the respective call or order modification, as applicable, when using GF03.</i>		
Not Used	GF08	128	Reference Identification Qualifier	X ID 2/3
		Code qualifying the Reference Identification		
Not Used	GF09	127	Reference Identification	X AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Segment: **G62** Date/Time
Position: 080
Loop: LX Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 20
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:
Comments:
Notes: *Use multiple repetitions to identify unique dates or delivery periods associated with the requisitioner's requirements.*

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	G6201	432 Date Qualifier	X ID 2/2
		Code specifying type of date	
		53 Deliver Not Before Date	
		<i>Use to identify the earliest acceptable delivery date for the material requisitioned. For conventional ammunition requirements, it defines the earliest acceptable delivery date for the required delivery period.</i>	
		54 Deliver No Later Than Date	
		<i>Use to identify the latest acceptable delivery date for the material requisitioned. For conventional ammunition requirements, it defines the latest acceptable delivery date for the required delivery period.</i>	
		85 Date Issued	
		<i>Use only when requisitioning nonstandard material. Cite the effective date of the drawing number (when only using code PT) or the drawing revision number (when using code DR with code PT) identified in 2/LIN01/100.</i>	
		BC Publication Date	
		The date when a document was published	
		<i>Use only when requisitioning nonstandard material to cite the manufacturer's catalog publication date when a catalog is identified in the 2/LIN/100 segment.</i>	
		BD Required By	
		The date when material is required to be on a site available for use	
		<i>For FMS and MAP/GA requirements, use to identify the required availability date. For all other uses, it is the required delivery date.</i>	
		LD Last Demand	
		The date when the last request for material was recorded	
		<i>Use when transmitting misrouted requisition or when referring a requisition to another supply source to identify the date of receipt of the requisition as recorded by the initial supply source in the supply</i>	

distribution system; otherwise, do not use.

Must Use	G6202	373	Date Date (YYMMDD)	X	DT 6/6
Not Used	G6203	176	Time Qualifier Code specifying the reported time	X	ID 1/2
Not Used	G6204	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X	TM 4/8
Not Used	G6205	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	O	ID 2/2
	G6206	624	Century The first two characters in the designation of the year (CCYY)	O	N0 2/2

Segment:	LIN Item Identification
Position:	100
Loop:	LX Optional (Must Use)
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify basic item identification data
Syntax Notes:	<ol style="list-style-type: none"> 1 If either LIN04 or LIN05 is present, then the other is required. 2 If either LIN06 or LIN07 is present, then the other is required. 3 If either LIN08 or LIN09 is present, then the other is required. 4 If either LIN10 or LIN11 is present, then the other is required. 5 If either LIN12 or LIN13 is present, then the other is required. 6 If either LIN14 or LIN15 is present, then the other is required. 7 If either LIN16 or LIN17 is present, then the other is required. 8 If either LIN18 or LIN19 is present, then the other is required. 9 If either LIN20 or LIN21 is present, then the other is required. 10 If either LIN22 or LIN23 is present, then the other is required. 11 If either LIN24 or LIN25 is present, then the other is required. 12 If either LIN26 or LIN27 is present, then the other is required. 13 If either LIN28 or LIN29 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes:	1 LIN01 is the line item identification
Comments:	<ol style="list-style-type: none"> 1 See the Data Dictionary for a complete list of IDs. 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes:	<ol style="list-style-type: none"> 1. <i>Use to provide a detailed description of the nonstandard material identified in PO106 with code FT or MG. Use with the MEA, G62 (2/LX/010 loop, position 080), N1 (2/N1/180 loop), and G69 segments to fully identify the nonstandard material.</i> 2. <i>Use data element 235/234 pairs to identify data pertinent to the transaction. Present the information in any sequential order. Unless otherwise specified, the multiple codes listed for a single qualifier data element identify the range of possible data requirements. When needed, use the next available combination of data element 235/234 pairs to provide the necessary data.</i>

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Not Used	LIN01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/20
Must Use	LIN02	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	M ID 2/2
			AB Assembly <i>Use to identify the assembly associated with the material.</i>	
			BH Finish/Hand Standard Reference Fabrics can be finished in many types of finish: water repellent, Scotch Guard, etc.; within each finish a mill can create a degree of softness or hardness depending on how fabric should feel to the customer; this degree is assigned a reference number for reordering purposes <i>Use to identify the fabric of the nonstandard material ordered under Federal Supply Schedule.</i>	
			CL Color	
			CN Commodity Name	

	<i>Use to identify the nomenclature of the nonstandard material.</i>
CR	Contract Number <i>Use when specifying a Federal Supply Schedule contract number.</i>
DR	Drawing Revision Number
F1	Catalog Number Item identifier specifies a manufacturer's catalog that applies to an item <i>Use to identify the manufacturer's catalog which references the nonstandard material. Cite the effective catalog publication date, if applicable, in the 2/G62/080 segment.</i>
F2	Technical Order Number Item identifier specifies a technical order that applies to an item
F3	Technical Manual Number Item identifier specifies the technical manual listing the item
F4	Series Identifier An identification of equipments having the same basic design but not necessarily identical configurations (within the equipment model) <i>Use to identify the manufacturer's series number of the nonstandard material.</i>
F7	End-Item Description Item identifier describes an end-item associated with the use of the required material <i>Use to identify the applicable end item which applies to the nonstandard material. Description may include the NSN and/or nomenclature.</i>
GS	General Specification Number <i>Use to identify a specification number, other than a Military Specification (MILSPEC), associated with the nonstandard material.</i>
MF	Manufacturer <i>Use to identify the manufacturer's make of the applicable end item for the nonstandard material.</i>
MN	Model Number <i>Use to identify the manufacturer's model number of the nonstandard material.</i>
MS	Military Specification (MILSPEC) Number
PR	Process Number <i>Use to identify a general operating specification which cannot be identified by use of the 2/MEA/105 segment. For example, the MEA use is primarily to identify physical sizes and dimensions of nonstandard material. Code PR use is to indicate specifications similar to output rated wattage and horsepower.</i>
PT	Print or Drawing <i>Use to identify the applicable drawing numbers for the nonstandard material.</i>
PW	Part Drawing <i>Use to identify the applicable figure numbers for the nonstandard material.</i>

SF	Surface Finish <i>Use to identify the finish of the nonstandard material ordered under Federal Supply Schedule.</i>
SN	Serial Number <i>Use to identify the manufacturer's serial number of the nonstandard material.</i>
VN	Vendor's (Seller's) Item Number
YP	Publication Number <i>Use to identify publications or catalogs.</i>

Must Use	LIN03	234	Product/Service ID Identifying number for a product or service	M	AN 1/40
	LIN04	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN05	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN06	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN07	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN08	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN09	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN10	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN11	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN12	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN13	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN14	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN15	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN16	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN17	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN18	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	X	ID 2/2
	LIN19	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
	LIN20	235	Product/Service ID Qualifier	X	ID 2/2

		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN21	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN22	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN23	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN24	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN25	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN26	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN27	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN28	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN29	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN30	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
LIN31	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		

Segment:	MEA Measurements
Position:	105
Loop:	LX Optional (Must Use)
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required. 2 If MEA05 is present, then MEA04 is required. 3 If MEA06 is present, then MEA04 is required. 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required. 5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.
Notes:	<i>Use multiple repetitions to identify any measurements/dimensions related to the nonstandard material identified in PO106 only with code FT or MG.</i>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Not Used	MEA01	737	Measurement Reference ID Code Code identifying the broad category to which a measurement applies	O ID 2/2
Must Use	MEA02	738	Measurement Qualifier Code identifying a specific product or process characteristic to which a measurement applies <i>Use to identify the specific dimension/measurement quantified in MEA03 and MEA04.</i>	O ID 1/3
		DI	Diameter	
		DN	Density	
		DP	Depth	
		FQ	Frequency	
		G	Gross Weight	
		GL	Gloss	
		HT	Height	
		ID	Inside Diameter	
		LN	Length	
		LPR	Line Pressure	
			Fluid pressure of the production line between the well and the separator unit or gathering line	
		MD	Measurement Voltage	
			The reference voltage level on AC waveforms for determining AC performance	
		OD	Outside Diameter	
		PB	Pressure	
		TF	Tensile	
		TH	Thickness	
		UCB	Cube	
			The external cubic dimensions of a specified product	
		VO	Voltage	
		VOL	Volume	

			WD WT	Width Weight	
Must Use	MEA03	739	Measurement Value		X R 1/20
			The value of the measurement		
Must Use	MEA04	C001	Composite Unit of Measure		X
			To identify a composite unit of measure (See Figures Appendix for examples of use)		
			<i>Use to identify the value of the units expressed in MEA03. For example, if the height of the nonstandard material was six feet, cite 6 in MEA03 and FT in MEA04.</i>		
Must Use	C00101	355	Unit or Basis for Measurement Code		M ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
			2G	Volts (Alternating Current)	
				Measure of electrical potential	
			2H	Volts (Direct Current)	
				Measure of electrical potential	
			2I	British Thermal Units (BTUs) Per Hour	
				British thermal units per hour	
			2N	Decibels	
				A unit for expressing the relative intensity of sounds on a scale of 0 for the least perceptible sound to about 130 for the average pain level	
			70	Volt	
			82	Ohm	
				Unit of resistance	
			AD	Bytes	
				Number of bytes of data transmitted	
			AZ	British Thermal Units (BTUs) per Pound	
			B0	British Thermal Units (BTUs) per Cubic Foot	
			B7	Cycles	
			CI	Cubic Inches	
			CM	Centimeter	
			CR	Cubic Meter	
			CY	Cubic Yard	
			FT	Foot	
			GA	Gallon	
			HJ	Horsepower	
			IN	Inch	
			KG	Kilogram	
			LB	Pound	
			LT	Liter	
			MR	Meter	
			OZ	Ounce - Av	
			P1	Percent	
			P2	Pounds per Foot	
			PT	Pint	
			QT	Quart	
			R4	Calorie	
				The amount of heat it takes to raise the temperature of one gram of water one degree Centigrade at a pressure	

	of one atmosphere
SF	Square Foot
SM	Square Meter
SY	Square Yard
TG	Gross Ton
TN	Net Ton (2,000 LB).
VT	Voltage
WT	Wattage
YD	Yard

Not Used	C00102	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00105	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00108	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00111	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00114	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	MEA05	740	Range Minimum The value specifying the minimum of the measurement range	X R 1/20
Not Used	MEA06	741	Range Maximum The value specifying the maximum of the measurement range	X R 1/20
Not Used	MEA07	935	Measurement Significance Code Code used to benchmark, qualify or further define a measurement value	O ID 2/2
Not Used	MEA08	936	Measurement Attribute Code Code used to express an attribute response when a numeric measurement value cannot be determined	X ID 2/2
Not Used	MEA09	752	Surface/Layer/Position Code Code indicating the product surface, layer or position that is being described	O ID 2/2
Not Used	MEA10	1373	Measurement Method or Device The method or device used to record the measurement	O ID 2/4

Segment: **G69** Line Item Detail - Description
Position: 110
Loop: LX Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To describe an item in free-form format
Syntax Notes:
Semantic Notes:
Comments:
Notes: *Use to describe nonstandard material identified in PO106 only with code FT or MG when the 2/LIN/100 and 2/MEA/105 segments do not provide adequate descriptive capability. Use multiple repetitions to provide the narrative descriptive information.*

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	G6901	369	Free-form Description Free-form descriptive text	M AN 1/45

Segment: **NTE** Note/Special Instruction
Position: 120
Loop: LX Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction
Syntax Notes:
Semantic Notes:
Comments: 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.
Notes: *Use to identify exception data associated with the transaction. Use during extraordinary situations requiring manual intervention in the requisition processing routine.*

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	NTE01	363	Note Reference Code Code identifying the functional area or purpose for which the note applies ORI Order Instructions	O ID 3/3
Must Use	NTE02	352	Description A free-form description to clarify the related data elements and their content	M AN 1/80

Segment: **LM** **Code Source Information**
Position: 130
Loop: LM Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Comments: 1 LM02 identifies the applicable industry code list source information.
Notes: *Must use this 2/LM/130 loop to identify coded information maintained in department or agency documentation.*

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O AN 1/15

Segment: **LQ** Industry Code
Position: 140
Loop: LM Optional (Must Use)
Level: Detail
Usage: Mandatory
Max Use: 100
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:
Comments:
Notes: *Use to identify codes, as appropriate, consistent with management information requirements.*

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	LQ01	1270	Code List Qualifier Code	O ID 1/3
			Code identifying a specific industry code list	
			0 Document Identification Code	
			Codes that subclassify a transaction	
			67 Type of Assistance Code	
			Codes that distinguish between types of military assistance transactions	
			<i>For SA transactions, use when the coded address in the transaction number does not identify the type of assistance and financing.</i>	
			71 Service and Agency Code	
			Military services, defense agencies, and certain civilian agencies of the United States Government	
			<i>Must use in FMS transactions to identify the customer country's requisitioning Service Code: B, D, K, P or T. For all SA transactions, repeat a second time to identify the Service ILCO managing the case or program line when the ILCO is not identified in the coded address in the transaction number.</i>	
			78 Project Code	
			Codes that relate a transaction to special programs, exercises, projects, operations, or other purposes	
			<i>Use to identify special programs, exercises, projects, operations, and other purposes.</i>	
			79 Priority Designator Code	
			The priority of a transaction	
			<i>Recommend using in all requisitions.</i>	
			80 Advice Code	
			Instructions to transaction recipients when narratives cannot be transmitted	
			<i>Use to convey information to the supply source which is considered essential to the supply action.</i>	
			83 Supply Condition Code	
			Classifies material by readiness for issue and use, describes actions underway to change the status of material, or identifies material as excess or not serviceable	
			<i>Use to indicate the condition of material when requisitioning from DRMS.</i>	

- 85 Country and Activity Code
Countries, international organizations, and accounts that could receive material or services under the Foreign Military Sales System and through Military Assistance Program Grant Aid
For MAP/GA transactions, use when the transaction number does not identify the country or activity.
- 87 Subsistence Type of Pack Code
A certain level of protection from the packing or outside shipping container for perishable and nonperishable subsistence items
Use with subsistence items.
- 89 Cooperative Logistics Program Support Code
Indicates whether or not a Foreign Military Sales transaction is a programmed or unprogrammed requirement
For FMS transactions, must use to identify programmed, nonprogrammed, and termination/drawdown requirements.
- 95 Offer and Release Option Code
Allows countries participating in the Foreign Military Sales Program to advise supply sources whether or not prior notice to country representatives or freight forwarders is required before shipment
For FMS transactions, must use to advise the supply source of the type of notice required prior to shipping the material.
- 97 Ultimate Recipient Code
The ultimate receiver or buyer of material for reimbursement purposes
Use to identify the buyer of DoD material to allow full payment for material supplied to a non-DoD customer.
- A2 Customer Within Country Code
The receiving country and place of discharge within the country for Military Assistance Program Grant Aid or the country's mark-for or ship-to addresses in Foreign Military Sales transactions
For SA transactions, use when the coded address in the transaction number does not identify the customer-within-country.
- A3 Delivery Term Code
The delivery term for a Foreign Military Sales shipment
For FMS transactions, use when the coded address in the transaction number does not identify the delivery term.
- A4 Case Designator Number
The case that a Foreign Military Sales transaction supports
Must use in FMS transactions to identify the FMS case number. For Cooperative Logistics Supply Support Arrangements (CLSSAs), repeat up to two times to identify the FMS Foreign Military Services Order (FMSO) I and FMSO II case numbers. In this instance, the first occurrence will cite the FMSO I case number, and a second occurrence, if applicable, will reflect the FMSO II case number.

A5	Subcase Number The line item or subcase that a Foreign Military Sales transaction supports <i>Use in FMS transactions based on Service requirements.</i>
A6	Freight Forwarder Number Representatives designated by a country to accomplish or control shipments of Foreign Military Sales material <i>Must use in FMS transactions to identify the country representative or freight forwarder to receive shipments and documentation.</i>
A7	Record Control Number A line item of the International Logistics Program <i>Must use in MAP/GA transactions to identify the program line item number.</i>
A8	Program Year Code Number defining the fiscal year in which the International Logistics Program Item is to be planned <i>Must use in MAP/GA transactions to indicate the program year in which the requisitioned item was approved and funded.</i>
A9	Supplementary Address Identifies the originating organization's unique logistics information <i>Use for intra-service or agency transactions to identify service or agency-unique data as required.</i>
AJ	Utilization Code Code identifying the purpose of the transaction <i>Use to identify a specialized purpose for which the requisition is submitted.</i>
AK	Distribution Code Code identifying activities eligible to receive additional status
AL	Special Requirements Code Identifies special requirements impacting the processing of the transaction <i>Use to identify any special handling and processing requirements.</i>
BD	Transportation Priority Code Indicates the order of handling and the recommended method of material movement <i>Use to identify a transportation priority which is different than that associated with the requisition priority.</i>
DE	Signal Code
DF	Media and Status Code
EJ	Disposal Condition Code Identifies action to change status, classifies readiness for issue, and describes the physical condition of material <i>Use to indicate the minimum acceptable disposal condition for all material requisitioned from Defense reutilization and marketing.</i>

Must Use	LQ02	1271	Industry Code	X	AN 1/30
Code indicating a code from a specific industry code list					

Segment:	N1 Name
Position:	180
Loop:	N1 Optional (Must Use)
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	<ol style="list-style-type: none"> 1. <i>Must use one iteration of this 2/N1/180 loop to identify the organization to receive the transaction.</i> 2. <i>Use additional iterations to identify other organizations associated with the transaction.</i>

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Must Use	N101	98 Entity Identifier Code	M ID 2/2
		Code identifying an organizational entity, a physical location, or an individual	
		BS	Bill and Ship To
			<i>Use either this code, or both codes BT and ST, for reimbursable material. Use to identify the organization which receives both the material and the billing for the material.</i>
		BT	Bill-to-Party
			<i>Use with code ST for reimbursable material. Use to identify the organization to receive the billing for material when different from the organization receiving the material. Use precludes the use of Code BS.</i>
		DA	Delivery Address
			<i>Use with 2/N2/190, 2/N3/200, and 2/N4/210 to fully identify in-the-clear exception ship-to address information under authorized conditions.</i>
		KO	Plant Clearance Officer
			<i>Use when requisitioning excess plant property.</i>
		MF	Manufacturer of Goods
			<i>Use to identify the manufacturer's name for nonstandard material.</i>
		OB	Ordered By
			<i>Use to identify the requisitioner only when the 1/N1/070 uses code ZL.</i>
		ST	Ship To
			<i>Use with code BT for reimbursable material. Use to identify the organization to receive the material when different from the activity being billed for the material. Use precludes the use of Code BS.</i>
		ZI	Party to Receive Status
			An organization that will receive information about a

			transaction <i>Use to identify the party to receive status when different from Service/Agency prescribed status recipient. Use multiple iterations to identify all status recipients, as required.</i>
		Z3	Potential Source of Supply An organization that might stock the needed material <i>Use when requisitioning nonstandard material identified in PO106 only with code FT or MG to identify potential supply sources.</i>
		Z4	Owning Inventory Control Point An inventory control organization responsible for management of a particular item <i>Use to identify the owning ICP.</i>
		Z5	Management Control Activity Department of Defense organization that oversees contractor requests for government-owned material to be supplied for use in support of government contracts <i>Use for submission of all GFM requisitions.</i>
		Z7	Mark-for Party The party for whom the needed material is intended <i>Use to identify an entity located within the ship-to address that is to actually receive the material.</i>
N102	93	Name	X AN 1/35
		Free-form name	
			1. Use with N101 code MF to identify the manufacturer's name and address (including ZIP code) when the CAGE is not available.
			2. Use with N101 code DA to identify the exception ship-to organization. Also use 2/N2/190 if additional information is required.
			3. Use with N101 code KO to identify the Plant Clearance Officer.
			4. Use with code Z7 to identify the recipient of material when coded data is not available.
N103	66	Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		1	D-U-N-S Number, Dun & Bradstreet
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix
		10	Department of Defense Activity Address Code (DODAAC)
		A2	Military Assistance Program Address Code (MAPAC) Contained in the Military Assistance Program Address Directory (MAPAD); represents the location of an entity <i>Use to indicate the SA structured address data. Interpretation of this data may require additional codes cited elsewhere in the transaction.</i>
		M4	Department of Defense Routing Identifier Code (RIC) An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions
N104	67	Identification Code	X AN 2/20

Not Used	N105	706	Code identifying a party or other code Entity Relationship Code Code describing entity relationship	O ID 2/2
	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual TO Message To <i>Must use with the appropriate 2/N101/180 code to indicate the organization cited in N104 is receiving the transaction.</i>	O ID 2/2

Segment: **N2** Additional Name Information
Position: 190
Loop: N1 Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Use with 2/N101/180 code DA to identify additional in-the-clear exception ship-to name information and with code ST to provide the additional ship-to information for excess plant property.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N201	93	Name Free-form name	M AN 1/35
	N202	93	Name Free-form name	O AN 1/35

Segment: **N3** Address Information
Position: 200
Loop: N1 Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Use with 2/N101/180 code DA to identify additional in-the-clear exception ship-to address information with code MF to identify the manufacturer's geographical location information, and with code ST to provide the additional ship-to address information for excess plant property.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/35
	N302	166	Address Information Address information	O AN 1/35

Segment: **N4** Geographic Location
Position: 210
Loop: N1 Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 2 N402 is required only if city name (N401) is in the U.S. or Canada.
Notes: *Use with 2/N101/180 code DA to identify in-the-clear exception ship-to geographic location information and with code ST to provide the geographical location ship-to information for excess plant property.*

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
N401	19	City Name	O AN 2/30
		Free-form text for city name	
N402	156	State or Province Code	O ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency	
N403	116	Postal Code	O ID 3/15
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
N404	26	Country Code	O ID 2/3
		Code identifying the country	
		<i>Use codes from DE 1270 code 85.</i>	
Not Used	N405	309 Location Qualifier	X ID 1/2
		Code identifying type of location	
Not Used	N406	310 Location Identifier	O AN 1/30
		Code which identifies a specific location	

Segment:	REF Reference Identification
Position:	220
Loop:	REF Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify identifying information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of REF02 or REF03 is required. 2 If either C04003 or C04004 is present, then the other is required. 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.
Comments:	
Notes:	<p><i>1. Use the 2/REF/220 loop to provide unique item tracking (UIT) information for controlled material.</i></p> <p><i>2. Either a Unique Item Identifier (UII), batch number, or a lot number defines the looping structure. Once defined, use the 2/N9/240 segment for other characteristics, as needed.</i></p>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			BT Batch Number <i>Use to indicate the manufacturer's batch number or other number identifying the production run.</i>	
			LT Lot Number <i>Use to indicate the manufacturer's lot number.</i>	
			SE Serial Number <i>Use to indicate the UII.</i>	
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
Not Used	REF03	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80
Not Used	REF04	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O
Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30
Not Used	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification	X ID 2/3
Not Used	C04004	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X ID 2/3
Not Used	C04006	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment:	N9 Reference Identification
Position:	240
Loop:	REF Optional
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To transmit identifying information as specified by the Reference Identification Qualifier
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N902 or N903 is required. 2 If N906 is present, then N905 is required. 3 If either C04003 or C04004 is present, then the other is required. 4 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 N906 reflects the time zone which the time reflects. 2 N907 contains data relating to the value cited in N902.
Comments:	
Notes:	<i>Use multiple repetitions to identify the characteristic(s) not defined in the 2/REF/220 segment.</i>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N901	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			BT Batch Number <i>Use to indicate the manufacturer's batch number or other number identifying the production run.</i>	
			LT Lot Number <i>Use to indicate the manufacturer's lot number.</i>	
			SE Serial Number <i>Use to indicate the UII.</i>	
Must Use	N902	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
Not Used	N903	369	Free-form Description Free-form descriptive text	X AN 1/45
Not Used	N904	373	Date Date (YYMMDD)	O DT 6/6
Not Used	N905	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	N906	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	O ID 2/2
Not Used	N907	C040	Reference Identifier To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	O
Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30
Not Used	C04003	128	Reference Identification Qualifier	X ID 2/3

511R - Requisition

			Code qualifying the Reference Identification		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Segment: **N1** Name
Position: 250
Loop: REF Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.
Notes: *Use to identify the manufacturer of the UIT item.*

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual MF Manufacturer of Goods	M ID 2/2
Not Used	N102	93	Name Free-form name	X AN 1/35
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 33 Commercial and Government Entity (CAGE)	X ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code	X AN 2/20
Not Used	N105	706	Entity Relationship Code Code describing entity relationship	O ID 2/2
Not Used	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual	O ID 2/2

Segment: **SE** Transaction Set Trailer
Position: 290
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:
Semantic Notes:
Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>Cite the same number as the one cited in ST02.</i>	M AN 4/9

NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency or Internal Reports (NISTIR)—The series includes interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is handled by sales through the National Technical Information Service, Springfield, VA 22161, in hard copy, electronic media, or microfiche form. NISTIR's may also report results of NIST projects of transitory or limited interest, including those that will be published subsequently in more comprehensive form.

U.S. Department of Commerce
National Institute of Standards
and Technology
Gaithersburg, MD 20899-0001

Official Business
Penalty for Private Use \$300